



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/904,124	07/12/2001	DuWayne C. Radke	56908US002	1697	
32692	32692 7590 12/07/2005		EXAMINER		
3M INNOVATIVE PROPERTIES COMPANY PO BOX 33427			CANFIELD	CANFIELD, ROBERT	
ST. PAUL, MN 55133-3427			ART UNIT	PAPER NUMBER	
•			3635		

DATE MAILED: 12/07/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	· · · · · · · · · · · · · · · · · · ·	Application No.	Applicant(s)			
Office Action Summary		09/904,124	RADKE ET AL.			
		Examiner	Art Unit			
		Robert J. Canfield	3635			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠	Responsive to communication(s) filed on <u>02 Se</u>	eptember 2005.				
2a) <u></u> ☐	This action is FINAL . 2b)⊠ This	action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	ion of Claims					
4) Claim(s) 1-7,10-20,22 and 23 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-7,10-20,22 and 23 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on 12 July 2001 is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 						
Priority (under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachmen	t(c)					
	ce of References Cited (PTO-892)	4) Interview Summary				
3) 🔯 Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate atent Application (PTO-152)			

Application/Control Number: 09/904,124 Page 2

Art Unit: 3635

1. This Office action is in response to the amendment filed 09/02/05. Claims 1-7, 10-20, 22 and 23 are pending. Claims 8, 9 and 21 have been canceled.

- 2. The examiner has reviewed each of the IDS's received 10/16/01, 10/23/02, 12/18/02, 08/25/03, 01/24/05, 08/05/05 and 10/03/05. No 1449 form was found for the IDS received 10/16/01. If any references submitted with that IDS have not already been made of record the examiner requests that they be resubmitted.
- 3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement. Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 1-7,10-20,22 and 23 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-31 of copending Application No. 10/205180. Although the conflicting claims are not

Art Unit: 3635

identical, they are not patentably distinct from each other because each of the elements of the instant claims are recited in the co-pending claims.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

5. Applicant's arguments, filed 09/02/05, with respect to U.S. Patents 6,161,873 to Munzenberger in view of U.S. Patent 3,995,888 to McIlroy have been fully considered and are persuasive. The rejection has been withdrawn.

Munzenberger does teach a firestop device similar to that of the instant claims but fails to teach or suggest at least one frangible connection defining a removable band. U.S. Patent 4,623,170 to Cornwall teaches that at the time of the invention it was known to provide rings at predetermined locations on the outside of a sleeve similar to that of Munzenberger. The rings are to indicate locations for cutting the device. There is no frangible connection defining a removable band taught. Devices such as U.S. patent 5,588,267 to Rodriguez et al. teach frangible sections in sleeves but the sections are to accommodate different pipes diameters.

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Application/Control Number: 09/904,124

Art Unit: 3635

U.S. Patent 5,634,311 to Carlton was used as a secondary reference in copending application SN 10/205180. The examiner does not find it any more relevant than the art of record but cites it to complete the record.

Page 4

- **U.S. Patent 5,182,885** to Barton, Jr. teaches grooves 18 and 28 to assist in severing a wall sleeve so that plural sleeve can be mated end-to-end.
- **U.S. Patent 1,783,605** to Della teaches weakened portions 4 for shortening a pipe having plural hubs to eliminate waste.
- **U.S. Patent 4,480,855** to Rosenbaum teaches annular frangible zones 14 and 24 in a coupling structure for manufacturing purposes.
- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert J. Canfield whose telephone number is 571-272-6840. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on 571-272-6842. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/904,124

Art Unit: 3635

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Robert J Canfield Primary Examiner

Page 5

Art Upit 3635

12/02/05